

Pipe Cutters

- telescopic ratchet pipe cutter 6 - 168 mm (1/4 - 6 5/8")
- for precise cutting of PP, PE, PEX, PB and PVDF pipes as well as sound-insulated drain pipes
- maximum strength with the monoblock aluminum construction
- optimum, fatigue-free operation with the ergonomically optimised metal handle
- fast adjustment to the tube's outer diameter with the telescopic ratchet guide
- fast opening with automatic retraction
- internal pipe deburrer retracts into cutter body
- hardened, specially sharpened cutter wheels



Type	OD mm	OD inch	Cutting Depth	KG	Quantity
67	6 - 67 mm	1/4 - 2.5/8"	7 mm	0,700	1
125	50 - 125 mm	2 - 5"	13 mm	1,700	1
168	110 - 168 mm	4 - 6.5/8"	16 mm	1,700	1



Type	Cutting Depth	KG	Quantity
Spare cutter wheels for Type 67	7.0 mm	0.100	3
Spare cutter wheels for Type 125	13.0 mm	0.200	3
Special size Type 125	8.6 mm	0.100	2
Spare cutter wheels for Type 168	16.0 mm	0.200	2
Special size Type 168	8.6 mm	0.100	2

- pipe cutter for plastic pipes and multi-layer composite tubes
- with cutter wheel and spare cutter wheel in sturdy case
- for pipes 180 – 315 mm, 7 – 12"
- fast and inexpensive cutting of large pipes, quick adjustment
- separate pipe centering for right angle cutting
- solid design, double-T-shaped body
- cutter wheels for different wall thicknesses available




Description	DN mm / inch	Wall thickness /s ≤ mm
P 180 – 315 with quick adjustment	180 – 315 / 7 – 12"	16

Description	DN mm	Wall thickness /s ≤ mm
cutter wheel P 50-315, s 11	180 - 315	11
cutter wheel P 50-315, s 16	180 - 315	16
cutter wheel P 50-315, s 19	180 - 315	19

EASYGRIP

- automatic strap wrench for plastic pipes 20 - 160 mm (3/4 - 6")
- the indispensable tool for socket welding large diameter plastic pipes
- ① no damage to pipe surface with the centered prismatic support
- ② secure grip with special non-slip nylon strap



Type	DN mm	DN inch	KG
EASYGRIP	20 - 160	3/4 - 6"	1,000
Spare strap			0,110

Plastic Pipe Chamfering Unit

- for 15° outer chamfers on plastic pipe
- with replaceable blades 16 - 160 mm
- wall thickness is continuously adjustable



Type	DN mm	KG
Chamfering unit size 1	16 - 110	0,720
Chamfering unit size 2	32 - 160	0,800
Spare blade size for 1 and 2		0,030

Pelican Cutters

- for cleanly cutting plastic sheets, baseboards and cable ducts
- with positioner for bevel cuts
- cut length 110 mm
- burnished
- length 280 mm
- handle with multi-component grip
- excellent cutting performance right out to the blade tip
- cutting capacity 4 mm
- force is evenly distributed over the entire blade length thanks to optimum leverage transfer
- weight 520 g



Type	finish	KG
502 111 3	with positoner	0,630
602 110 00	spare blades 110 mm	0,600
502 111 00	spare positioner	0,110

Pipe Cutters

for composite and plastic pipes, patented

- for cutting thick walled plastic and composite pipes from 26 to 40 mm diameter
- cuts pipes according to the ratchet principle in several strokes
- moveable pipe support positions pipes of various diameters correctly for a rectangular cut
- tool body high-grade chrome vanadium electric steel, bronzed
- handles with multi-component grips
- length 210 mm
- blades special tool steel, bronzed, interchangeable
- edge length 40 mm
- weight 0,500 KG



Spare blades

- type 902940
- weight 0,102 KG